

Delaunay triangulations on hyperbolic surfaces

Iordan Iordanov Monique Teillaud



Astonishing Workshop
25 September 2017
Nancy, France

Outline

- 1 | Introduction
 - 1.1 | Motivation
 - 1.2 | The Bolza Surface
 - 1.3 | Background from [BTV, SoCG'16]
- 2 | Implementation
 - 2.1 | Data Structure
 - 2.2 | Incremental Insertion
 - 2.3 | Results
- 3 | Future work

Outline

1 | Introduction

1.1 | Motivation

1.2 | The Bolza Surface

1.3 | Background from [BTV, SoCG'16]

2 | Implementation

2.1 | Data Structure


2.2 | Incremental Insertion

2.3 | Results

3 | Future work


Motivation

Periodic triangulations in the Euclidean plane



Motivation

Periodic triangulations in the hyperbolic plane




Motivation


Applications



[Sausset, Tarjus, Viot]



[Chossat, Faye, Faugeras]




[Balazs, Voros]

Motivation

Beautiful groups

- Fuchsian groups
- finitely presented groups
- triangle groups
- ...



State of the art

Closed Euclidean manifolds

- Algorithms 2D [Mazón, Recio], 3D [Dolbilin, Huson], d D [Caroli, Teillaud, DCG'16]
- Software (square/cubic flat torus) 2D [Kruithof], 3D [Caroli, Teillaud]


The logo for CGAL (Computational Geometry Algorithms Library) features the letters 'CGAL' in a bold, yellow, sans-serif font. Each letter is superimposed on a semi-transparent, light-colored geometric diagram, likely representing a Delaunay triangulation or a similar computational geometry structure.

Closed hyperbolic manifolds


- Algorithms 2D, genus 2 [Bogdanov, Teillaud, Vegter, SoCG'16]
- Software (Bolza surface) [Iordanov, Teillaud, SoCG'17]

The logo for CGAL (Computational Geometry Algorithms Library) features the letters 'CGAL' in a bold, yellow, sans-serif font. Each letter is superimposed on a semi-transparent, light-colored geometric diagram, likely representing a Delaunay triangulation or a similar computational geometry structure.

Poincaré model of the hyperbolic plane \mathbb{H}^2




Hyperbolic translations



Hyperbolic translations

non-commutative!




Bolza surface

What is it?

- Closed, compact, orientable surface of genus 2.
- Constant negative curvature \longrightarrow locally hyperbolic metric.
- The most symmetric of all genus-2 surfaces.

Bolza surface



Fuchsian group \mathcal{G} with finite presentation

$$\mathcal{G} = \langle a, b, c, d \mid abcd\bar{a}\bar{b}\bar{c}\bar{d} \rangle$$


\mathcal{G} contains only translations (and $\mathbb{1}$)

Bolza surface

$$\mathcal{M} = \mathbb{H}^2 / \mathcal{G}$$

with projection map $\pi_{\mathcal{M}} : \mathbb{H}^2 \rightarrow \mathcal{M}$

Bolza surface



Fuchsian group \mathcal{G} with finite presentation

$$\mathcal{G} = \langle a, b, c, d \mid abcd\bar{a}\bar{b}\bar{c}\bar{d} \rangle$$

\mathcal{G} contains only translations (and $\mathbb{1}$)

Bolza surface








$$\mathcal{M} = \mathbb{H}^2 / \mathcal{G}$$

with projection map $\pi_{\mathcal{M}} : \mathbb{H}^2 \rightarrow \mathcal{M}$


$$\mathcal{A} = [a, \bar{a}, b, \bar{b}, c, \bar{c}, d, \bar{d}] = [g_0, g_1, \dots, g_7]$$

$$g_k = \begin{bmatrix} \alpha & \beta_k \\ \bar{\beta}_k & \bar{\alpha} \end{bmatrix}, \quad g_k(z) = \frac{\alpha z + \beta_k}{\bar{\beta}_k z + \bar{\alpha}}, \quad \alpha = 1 + \sqrt{2}, \quad \beta_k = e^{ik\pi/4} \sqrt{2\alpha}$$

Bolza surface




Hyperbolic octagon




Voronoi diagram of $\mathcal{G}O$

Hyperbolic octagon




Fundamental domain $\mathcal{D}_O =$ Dirichlet region of O

Hyperbolic octagon




“Original” domain \mathcal{D} : contains exactly one point of each orbit

Criterion



Systole $\text{sys}(\mathcal{M}) =$ minimum length of a non-contractible loop on \mathcal{M}


Criterion



Systole $\text{sys}(\mathcal{M}) =$ minimum length of a non-contractible loop on \mathcal{M}

$$\pi_{\mathcal{M}}(DT_{\mathbb{H}}(\mathcal{G}S))$$

Criterion



Systole $\text{sys}(\mathcal{M}) =$ minimum length of a non-contractible loop on \mathcal{M}

S set of points in \mathbb{H}^2

$\delta_S =$ diameter of largest disks in \mathbb{H}^2 not containing any point of $\mathcal{G}S$

$$\delta_S < \frac{1}{2} \text{sys}(\mathcal{M})$$

$\Rightarrow \pi_{\mathcal{M}}(DT_{\mathbb{H}}(\mathcal{G}S)) = DT_{\mathcal{M}}(S)$
is a simplicial complex

\Rightarrow The usual incremental algorithm can be used

[Bowyer]

How can we satisfy $\delta_S < \frac{1}{2} \text{sys}(\mathcal{M})$?

Two ways:

1 Covering spaces

- effect: increase the systole
- take copies of the fundamental domain with input points
- $32 < \text{number of sheets} \leq 128$
- **new:** $34 < \text{number of sheets}$

[Ebbens, 2017]

How can we satisfy $\delta_S < \frac{1}{2} \text{sys}(\mathcal{M})$?

Two ways:

1 Covering spaces

- effect: increase the systole
- take copies of the fundamental domain with input points
- $32 < \text{number of sheets} \leq 128$
- **new: 34** < number of sheets

[Ebbens, 2017]

2 Dummy points

- effect: artificially satisfy the condition in the 1-cover
- set of points given for the Bolza surface
- more appealing computationally

How can we satisfy $\delta_S < \frac{1}{2} \text{sys}(\mathcal{M})$?

Two ways:

1 Covering spaces

- effect: increase the systole
- take copies of the fundamental domain with input points
- $32 < \text{number of sheets} \leq 128$
- **new:** $34 < \text{number of sheets}$


[Ebbens, 2017]

2 Dummy points


- effect: artificially satisfy the condition in the 1-cover
- set of points given for the Bolza surface
- more appealing computationally

We adopt the second approach.


Systole on the octagon




Set of dummy points



Set of dummy points vs. criterion




Delaunay triangulation of the dummy points



Delaunay triangulation of the Bolza surface

Algorithm:

- 1 initialize with dummy points
- 2 insert points in S
- 3 remove dummy points



Outline

1 | Introduction

1.1 | Motivation

1.2 | The Bolza Surface

1.3 | Background from [BTV, SoCG'16]

2 | Implementation


2.1 | Data Structure

2.2 | Incremental Insertion

2.3 | Results

3 | Future work

Notation



$g(O)$, $g \in \mathcal{G}$, denoted as g

$\mathcal{D}_g = g(\mathcal{D}_O)$, $g \in \mathcal{G}$

$\mathcal{N} = \{g \in \mathcal{G} \mid \mathcal{D}_g \cap \mathcal{D}_O \neq \emptyset\}$


$\mathcal{D}_{\mathcal{N}} = \bigcup_{g \in \mathcal{N}} \mathcal{D}_g$

Property of $DT_{\mathbb{H}}(\mathcal{GS})$

$S \subset \mathcal{D}$ input point set
 s.t. criterion $\delta_S < \frac{1}{2} \text{sys}(\mathcal{M})$ holds

σ face of $DT_{\mathbb{H}}(\mathcal{GS})$ with at least one
 vertex in \mathcal{D}

→ σ is contained in $\mathcal{D}_{\mathcal{N}}$




Property of $DT_{\mathbb{H}}(\mathcal{G}S)$

$S \subset \mathcal{D}$ input point set
 s.t. criterion $\delta_S < \frac{1}{2} \text{sys}(\mathcal{M})$ holds


σ face of $DT_{\mathbb{H}}(\mathcal{G}S)$ with at least one
 vertex in \mathcal{D}

→ σ is contained in $\mathcal{D}_{\mathcal{N}}$




Canonical representative of a face

Each face of $DT_{\mathcal{M}}(S)$ has infinitely many pre-images in $DT_{\mathbb{H}}(\mathcal{G}S)$




Canonical representative of a face

at least one pre-image with at least one vertex in \mathcal{D}




Canonical representative of a face

Case: face with 3 vertices in \mathcal{D}




Canonical representative of a face

Case: face with 3 vertices in \mathcal{D}




Canonical representative of a face

Case: face with 3 vertices in \mathcal{D}




Canonical representative of a face

Case: face with 2 vertices in \mathcal{D}




Canonical representative of a face

Case: face with 2 vertices in \mathcal{D}




Canonical representative of a face

Case: face with 2 vertices in \mathcal{D}




Canonical representative of a face

Case: face with 1 vertex in \mathcal{D}




Canonical representative of a face


Case: face with 1 vertex in \mathcal{D}





Canonical representative of a face




CGAL Triangulations




Face of $DT_M(S)$ 

Face of $DT_M(S)$ 


Point Location




Point Location



Point Location




Point Location




Point Insertion

“hole” = topological disk



Point Insertion


“hole” = topological disk



Point Insertion


Computations
on translations

Dehn's algorithm
(slightly modified)




Predicates

$$\text{Orientation}(p, q, r) = \text{sign} \begin{vmatrix} p_x & p_y & 1 \\ q_x & q_y & 1 \\ r_x & r_y & 1 \end{vmatrix}$$



$$\text{InCircle}(p, q, r, s) = \text{sign} \begin{vmatrix} p_x & p_y & p_x^2 + p_y^2 & 1 \\ q_x & q_y & q_x^2 + q_y^2 & 1 \\ r_x & r_y & r_x^2 + r_y^2 & 1 \\ s_x & s_y & s_x^2 + s_y^2 & 1 \end{vmatrix}$$



Predicates

Suppose that the points in S are **rational**.

Input of the predicates can be images of these points under $\nu \in \mathcal{N}$.

$$g_k(z) = \frac{\alpha z + e^{ik\pi/4} \sqrt{2\alpha}}{e^{-ik\pi/4} \sqrt{2\alpha} z + \alpha}, \quad \alpha = 1 + \sqrt{2}, \quad k = 0, 1, \dots, 7$$

- the *Orientation* predicate has algebraic degree at most 20
- the *InCircle* predicate has algebraic degree at most 72

Point coordinates represented with **CORE: :Expr**

→ (filtered) exact evaluation of predicates



Demo

Time to see the code in action!

Experiments

Fully dynamic implementation



1 million random points

-  Euclidean DT (double) ~ 1 sec.
-  Euclidean DT (CORE::Expr) ~ 13 sec.
- Hyperbolic periodic DT (CORE::Expr) ~ 34 sec.

Experiments

Fully dynamic implementation

1 million random points

-  Euclidean DT (double) ~ 1 sec.
-  Euclidean DT (CORE::Expr) ~ 13 sec.
- Hyperbolic periodic DT (CORE::Expr) ~ 34 sec.

Predicates

- 0.76% calls to predicates involving translations in \mathcal{N}
- responsible for 36% of total time spent in predicates

Dummy points can be removed after insertion of 17–72 random points.

Outline

1 | Introduction

1.1 | Motivation

1.2 | The Bolza Surface

1.3 | Background from [BTV, SoCG'16]

2 | Implementation

2.1 | Data Structure

2.2 | Incremental Insertion

2.3 | Results

3 | Future work

Future work

The goal is to
generalize

Future work

What:


- Algorithm for more general genus-2 surfaces
- Algorithm for surfaces of higher genus

How:

- Pants decomposition & F-N coordinates
- Octagonal fundamental domain

[Maskit, 2001]

[Aigon-Dupuy et al., 2005]



Future work

Issues:

- Surface representation
- Fundamental domain – Dirichlet or not?
- Generalize property of Delaunay triangles
- Condition on something else rather than the systole?
- Canonical representative
- Choice of dummy points

[IT17]

The End

Thank you!

Source code and Maple sheets available online:

https://members.loria.fr/Monique.Teillaud/DT_Bolza_SoCG17/